




IRNSS /GPS Antenna L5/L2/L1 Band Model No. XT-GNSS-IGALBV1-22



Technical Specifications:

For more details contact
+91 9500042618
Email: sales@xtragen.in



Product Features:

- GNSS L band application
- Simultaneous multi-band Coverage
- High Gain and Good axial ratio
- Low back lobe level
- Compact Size

	IRNSS L5/GPS L5/E5a/SBAS L5/QZSS L5	GPS L2/E5b/B2b QZSS L2C	GPS L1/B1/E1/SBAS L1/QZSS L1
Frequency	1176.45 ± 20 MHz	1227.6 ± 20 MHz	1575.42 ± 40 MHz
Radiation pattern	Hemispherical		
Polarization	RHCP		
VSWR	≤ 2:1		
Impedance	50 Ohm		
Antenna Gain(dBic)			
@90°	+ 4	+ 4.2	+ 5.2
@45°	+ 0.5	+ 1.5	+ 1.7
@15°	-3	- 3	- 1.4
Beam-width (3dB)	90°	90°	90°
Axial Ratio	1.2 dB	1.2 dB	1.5 dB
Multipath Rejection (RHCP/LHCP) @90°	>20 dB	>20 dB	>20 dB
LNA Gain	>28 dB	>28 dB	>25 dB
Noise Figure	≤ 2.5 dB	≤ 2.5 dB	≤ 2.5 dB
LNA DC power	5V/ 90 mA		
Out of band Rejection	>40 dB		
Phase Centre	± 2 mm		

Mechanical Specifications

- Dimensions (DxH) : 140 x 17 mm
- Weight : < 0.25 KG
- Connector : SMA (F) Compact Size

Xtragen Technologies Private Limited

Enabling connectivity between Technology & People

#201, Building No. 44, 80 Ft Road, Royal Lake Front Residency, JP Nagar Phase 8, Bangalore – 560076
Contact No: +91 6361549010 Email: sales@xtragen.in Website: www.xtragen.in